



1/15

FIG. 1



2/15

FIG. 2



3/15

FIG. 3




FIG. 4





FIG. 5

DEVICE ID	DEVICE TYPE
IP CONFIG (STATIC/DHCP)	
TELCO LOGINS	
TUNNEL ID	
⋮	
WEB SERVER PAGES	
GUI INFO	
DNS INFO	
DHCP INFO	
PPP INFO	

FIG. 6

6/15



USER ID:	<input type="text"/>
PASSWORD:	<input type="password"/>
<input type="button" value="LOG IN"/>	

MAIN MENU

{SYSTEM MESSAGE} AS OF {PC TIME}		<input type="button" value="STATUS"/>	
{ERROR MESSAGE}		<input type="button" value="DISCONNECT"/>	
		<input type="button" value="VIEW SYSLOG"/>	
		<input type="button" value="CLOSE"/>	

AT&T WORLDNET @HOME UUU ... UU VVV ... VV WWW ... WW XXX ... XX YYY ... YY ZZZ ... ZZ	<input type="checkbox"/>	NETWORK CONNECTION - {NAME} USING DHCP  CLIENT: {CLIENT NAME}
	<input type="checkbox"/>	

<input type="button" value="CONNECT"/>	<input type="button" value="EDIT"/>	<input type="button" value="COPY"/>	<input type="button" value="DELETE"/>
--	-------------------------------------	-------------------------------------	---------------------------------------

8/15

FIG. 8

## MAIN MENU

		STATUS	
{SYSTEM MESSAGE} AS OF {PC TIME}		DISCONNECT	
{ERROR MESSAGE}		VIEW SYSLOG	
		CLOSE	
SELECT A CONNECTION FROM THE LIST OR <u>CREATE A NEW CONNECTION.</u>			
<div> <div>AT&amp;T WORLDNET</div> <div>@HOME</div> <div>UUU ••• UU</div> <div>VVV ••• VV</div> <div>WWW ••• WW</div> <div>XXX ••• XX</div> <div>YYY ••• YY</div> <div>ZZZ ••• ZZ</div> </div>	<div>—</div> <div>▽</div>	<div>{NAME OF CONNECTION}</div> <div>(((CONNECTION SPECIFIC FIELDS; SEE FOLLOWING)))</div> <div><u>STANDARD DIAL-UP</u></div> <div><u>CUSTOMIZED DIAL-UP</u></div> <div><u>FIXED-IP NETWORK</u></div> <div><u>DHCP NETWORKS</u></div> <div><u>PPPoE NETWORK</u></div>	
CONNECT	EDIT	COPY	DELETE



9/15

FIG. 9

## MAIN MENU

		STATUS	
{SYSTEM MESSAGE} AS OF {PC TIME}		DISCONNECT	
{ERROR MESSAGE}		VIEW SYSLOG	
		CLOSE	
SELECT A CONNECTION FROM THE LIST OR <u>CREATE A NEW CONNECTION.</u>			
<div> <div>AT&amp;T WORLDNET</div> <div>@HOME</div> <div>UUU . . . UU</div> <div>VVV . . . VV</div> <div>WWW . . . WW</div> <div>XXX . . . XX</div> <div>YYY . . . YY</div> <div>ZZZ . . . ZZ</div> </div>	<div> <div>—</div> <div>▽</div> </div>	DIAL-UP CONNECTION - {NAME OF CONNECTION} USER ID: {USER ID} PASSWORD: *****  PHONE NUMBER TO DIAL: 800-555-1234  - OPTION: DIAL 9 TO ACCESS AN OUTSIDE LINE. - OPTION: DIAL *70 TO DISABLE CALL WAITING.	
CONNECT		EDIT	COPY DELETE

FOUO 2001-07-20

FIG. 10

	<input type="button" value="STATUS"/>
{SYSTEM MESSAGE} AS OF {PC TIME}	<input type="button" value="DISCONNECT"/>
{ERROR MESSAGE}	<input type="button" value="VIEW SYSLOG"/>
	<input type="button" value="CLOSE"/>

SELECT A CONNECTION FROM THE LIST OR CREATE A NEW CONNECTION.

AT&T WORLDNET @HOME UUU . . . UU VVV . . . VV WWW . . . WW XXX . . . XX YYY . . . YY ZZZ . . . ZZ	<input type="button" value="-"/>          <input type="button" value="▽"/>	DIAL-UP CONNECTION - {NAME OF CONNECTION}  USER ID: {USER ID}    PASSWORD: *****  CUSTOMIZED MODEM DIAL STRING: <div style="border: 1px solid black; padding: 2px;">ATDT*70, 18005551234,,,,4128000011112222</div>
--	--	---

<input type="button" value="CONNECT"/>	<input type="button" value="EDIT"/>	<input type="button" value="COPY"/>	<input type="button" value="DELETE"/>
--	-------------------------------------	-------------------------------------	---------------------------------------

11/15

FIG. 11

## MAIN MENU

{SYSTEM MESSAGE} AS OF {PC TIME}		STATUS	
{ERROR MESSAGE}		DISCONNECT	
		VIEW SYSLOG	
		CLOSE	
SELECT A CONNECTION FROM THE LIST OR <u>CREATE A NEW CONNECTION.</u>			
<div>AT&amp;T WORLDNET @HOME UUU ••• UU VVV ••• VV WWW ••• WW XXX ••• XX YYY ••• YY ZZZ ••• ZZ</div>	<div>—       ▽</div>	NETWORK CONNECTION - {NAME}	
		IP ADDRESS: {IP_ADDRESS}	
		MASK: {MASK_ADDRESS}	
		GATEWAY: {GATEWAY}	
CONNECT		EDIT	COPY
		DELETE	

12/15

FIG. 13

CONNECTING ...

CONNECT TO {NAME} ...

VCS OFFICE(SM)  
VCS AGENT(SM)  
PAT

—

▽

{SERVICE NAME} LOGIN

SERVICE URL:

SUBSCRIBER ID:

PASSWORD:

☐ SAVE PASSWORD

LOGIN

TRY AGAIN

MAIN MENU

STATUS

DISCONNECT

VIEW SYSLOG

CLOSE

13/15

FIG. 14

## NEW CONNECTION

<b>Step 1: Name</b>	
WHAT IS THE NAME OF THIS CONNECTION? <input style="width: 150px;" type="text"/>	
<b>Step 2: Connection Type</b>	
<input type="radio"/> <b>DIAL-UP CONNECTION</b> A DIAL-UP CONNECTION USES A MODEM AND OBTAINS CONNECTION BY DIALING INTO A NUMBER.	<input type="radio"/> <b>NETWORK CONNECTION</b> A NETWORK CONNECTION USUALLY CONNECTS THROUGH LOCAL AREA NETWORK (LAN), CABLE MODEM, OR DSL.
<b>Step 3: Specific Information</b>	
<b>FOR DIAL UP CONNECTION ...</b>	<b>FOR NETWORK CONNECTION ...</b>
USER ID: <input style="width: 100px;" type="text"/>  PASSWORD: <input style="width: 100px;" type="text"/>  <input type="radio"/> <b>USE STANDARD DIAL-UP CONFIGURATION</b> PHONE NUMBER TO DIAL: <input style="width: 100px;" type="text"/>  - OPTION: DIAL <input style="width: 30px;" type="text"/> TO ACCESS ON OUTSIDE LINE.  - OPTION: DIAL <input style="width: 30px;" type="text"/> TO DISABLE CALL WAITING.  - OR - <input type="radio"/> <b>USE CUSTOMIZED MODEM DIALING STRING</b> <input style="width: 150px;" type="text"/>	<input checked="" type="radio"/> <b>USE DHCP</b>  HOST: <input style="width: 100px;" type="text"/>  - OR - <input type="radio"/> <b>USE FIXED IP ADDRESS</b>  IP ADDRESS: <input style="width: 100px;" type="text"/>  MASK: <input style="width: 100px;" type="text"/>  GATEWAY: <input style="width: 100px;" type="text"/>
<input style="width: 100px;" type="button" value="SAVE"/> <input style="width: 100px;" type="button" value="START OVER"/> <input style="width: 100px;" type="button" value="CANCEL"/>	

14/15

FIG. 15

## EDIT CONNECTION

NAME: <input style="border: none; border-bottom: 1px solid black;" type="text" value="{NAME}"/>		DIAL-UP CONNECTION	
<div style="text-align: right; margin-bottom: 5px;">USER ID: <input style="border: none; border-bottom: 1px solid black;" type="text" value="POPULATED"/></div> <div style="text-align: right; margin-bottom: 5px;">PASSWORD: <input style="border: none; border-bottom: 1px solid black;" type="text"/></div> <div style="margin-bottom: 10px;"><input checked="" type="radio"/> <i>USE STANDARD DIAL-UP CONFIGURATION</i></div> <div style="margin-bottom: 5px;">PHONE NUMBER TO DIAL: <input style="border: none; border-bottom: 1px solid black;" type="text" value="800-555-1234"/></div> <div style="margin-bottom: 5px;">- OPTION: DIAL <input style="border: none; border-bottom: 1px solid black;" type="text" value="9"/> TO ACCESS AN OUTSIDE LINE.</div> <div style="margin-bottom: 10px;">- OPTION: DIAL <input style="border: none; border-bottom: 1px solid black;" type="text" value="*70"/> TO DISABLE CALL WAITING.</div> <div style="margin-bottom: 5px;">- OR -</div> <div style="margin-bottom: 10px;"><input type="radio"/> <i>USE CUSTOMIZED DIALING STRING</i></div> <div style="margin-bottom: 10px;"><input style="border: none; border-bottom: 1px solid black;" type="text"/></div>			
<div style="display: flex; justify-content: space-around; align-items: center;"><div style="border: 1px solid black; padding: 5px 15px; margin: 2px;">SAVE</div><div style="border: 1px solid black; padding: 5px 15px; margin: 2px;">START OVER</div><div style="border: 1px solid black; padding: 5px 15px; margin: 2px;">CANCEL</div></div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 10px;"><div style="border: 1px solid black; padding: 5px 15px; margin: 2px;">SAVE AS</div><div style="font-size: 1.2em; margin: 0 5px;">&gt;&gt;</div><div style="border: 1px solid black; width: 100px; height: 20px; margin: 2px;"></div></div>			

FIG. 16

## EDIT CONNECTION

NAME:		NETWORK CONNECTION	
<input data-bbox="170 394 474 431" type="text" value="{NAME}"/>			
<input checked="" type="radio"/> <i>USE DHCP</i>			
CLIENT: <input data-bbox="484 506 678 546" type="text"/>			
- OR -			
<input type="radio"/> <i>USE CUSTOMIZED DIALING STRING</i>			
IP ADDRESS:		<input data-bbox="484 647 671 686" type="text" value="123.45.678.90"/>	
MASK:		<input data-bbox="484 700 671 739" type="text" value="255.254.253.252"/>	
GATEWAY:		<input data-bbox="484 752 671 792" type="text" value="123.4.56.789"/>	
<div>SAVE    START OVER    CANCEL</div> <div>SAVE AS &gt;&gt; <input data-bbox="484 910 694 954" type="text"/></div>			